L Number	Hits	Search Text	DB	Time stamp
4	765	(dead o rfail$3 or failure or broken) near5 gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:30
5	304	((dead o rfail$3 or failure or broken) near5 gateway) and delet$3 ARP adj (entry or record or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:30
6	85	((dead o rfail$3 or failure or broken) near5 gateway) and (dead o rfail$3 or failure or broken) near5 gateway with delet$3 ARP adj (entry or record or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:53
7	1	(((dead o rfail$3 or failure or broken) near5 gateway) and (dead o rfail$3 or failure or broken) near5 gateway with delet$3 ARP adj (entry or record or data)) and (dead o rfail$3 or failure or broken) near5 gateway with delet$3 ARP adj (entry or record or data) same (alternat$3 or another or second) adj4 gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:34
8	3	(dead or fail$3 or failure or broken) near5 gateway with delet$3 ARP adj (entry or record or data) same (alternat$3 or another or second) adj4 gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:35
9	0	(dead or fail$3 or failure or broken) near5 gateway with delet$3 adj5 ARP adj3 (entry or record or data) same (alternat$3 or another or second) adj4 gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:35
10	0	(dead or fail$3 or failure or broken) near5 gateway with delet$3 adj5 ARP adj3 (entry or record or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:35
11	32	(dead or fail$3 or failure or broken) near5 gateway with (alternat$3 or another or second) adj4 gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:06
12	0	((dead or fail$3 or failure or broken) near5 gateway with (alternat$3 or another or second) adj4 gateway) and delet$3 adj5 ARP adj3 (entry or record or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:36
13	2	delet$3 adj5 ARP adj3 (entry or record or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 15:37
14	23	((dead or fail$3 or failure or broken) near5 gateway with (alternat$3 or another or second) adj4 gateway) and (@AD < "20000914")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:08
15	1	(((dead or fail$3 or failure or broken) near5 gateway with (alternat$3 or another or second) adj4 gateway) and (@AD < "20000914")) and (ARP or address adj resolution adj protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:07
16	48	(dead or fail$3 or failure or broken) near5 gateway with (backup or different or alternat$3 or another or second) adj4 gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:06

17	54	(dead or fail$3 or failure or broken or idle$3) near5 gateway with (backup or different or alternat$3 or another or second) adj4 gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:08
18	2	((dead or fail$3 or failure or broken or idle$3) near5 gateway with (backup or different or alternat$3 or another or second) adj4 gateway) and (ARP or address adj resolution adj protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:07
22	12	((dead or fail$3 or failure or broken or idle$3) near5 gateway with (backup or different or alternat$3 or another or second) adj4 gateway) and (ARP or TCP) and (@AD <20000914)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:26
23	293	ARP near5 cach$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:13
24	7	delet$3 near10 ARP near5 cach$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:25
25	24	delet$3 near10 ARP near5 (data or information or record or entry)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:51
26	16	(delet$3 near10 ARP near5 (data or information or record or entry)) and (ARP or TCP) and (@AD <20000914)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:52
27	0	((delet$3 near10 ARP near5 (data or information or record or entry)) and (ARP or TCP) and (@AD <20000914)) and non-TCP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:36
28	36	remov$3 near10 ARP near5 (data or information or record or entry)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:25
29	24	(remov$3 near10 ARP near5 (data or information or record or entry)) and (ARP or TCP) and (@AD <20000914)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:57
30	532	(dead or fail$3 or failure or broken) near5 gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:53
31	3865	(dead or fail$3 or failure or broken) near5 (subnet or bridge or gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:53
32	2	((dead or fail$3 or failure or broken) near5 (subnet or bridge or gateway)) and (((delet$3 near10 ARP near5 (data or information or record or entry)) and (ARP or TCP) and (@AD <20000914)) or ((remov$3 near10 ARP near5 (data or information or record or entry)) and (ARP or TCP) and (@AD <20000914)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:54

33	1	((dead or fail$3 or failure or broken) near5 (subnet or bridge or gateway)) and (non-TCP) and (@AD <20000914)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:08
34	2880	((dead or fail$3 or failure or broken) near5 (subnet or bridge or gateway)) and (@AD <20000914)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:09
35	2	(((dead or fail$3 or failure or broken) near5 (subnet or bridge or gateway)) and (@AD <20000914)) and (delet$3 or reset$4 or cancel$4 or remov$3) near10 ARP near5 (cache or data or information or record or entry)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:27
36	4	(((dead or fail$3 or failure or broken) near5 (subnet or bridge or gateway)) and (@AD <20000914)) and (delet$3 or reset$4 or cancel$4 or remov$3) with ARP with (cache or data or information or record or entry)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:27